£3

cleanburn

New Season New Stoves

Cleanburn

High-performance heating, certified for lower emissions

Choose *economy*, *efficiency*, and *performance*. Look for the **CLEANBURN** name.

Choosing a woodburner can be difficult. In looks, in style, and in jargon, many stoves may seem the same. But they're not. Ignore the replicas and choose Cleanburn – the innovative stove range that's leading the industry.

Look For:

Economy

The basic cost of well-seasoned logs is currently on par with natural gas and less than a third of the cost of electricity (Solid Fuel Technology Institute, 2013). But other factors influence economy, which is irrevocably linked to efficiency.

Efficiency

Build quality and air-flow affect efficiency, which is independently tested to give you an unbiased report. Scrutinise the small print. Look for a stove with certified efficiency of 75 - 89%. Your car probably runs at about 25%.

Performance

Woodburners aren't what they used to be. Cleanburn technology provides a fire that's bright, clean, and effective. It's based on three streams of air that ensure ignition is quick and consistent. That's why we called it Clean Burn.

Not Forgetting:

Scandinavian style, options, and ample single doors. We've got those too…

Contents

A clean sweep / Defra Approved	01
Norwegian Standard	02
Sønderskoven Inset 5	03 - 04
Løvenholm	05 - 10
Nørreskoven Mk2	11 - 16
Sønderskoven Inset 8	17 - 18
Skagen	19 - 20
Sønderskoven	21 - 26
Tripleburn® technology	27 - 28
Cleanburn technical key	29 - 30
Options	31

Cleanburn Stoves strongly recommend that the suitability of any installation should firstly be agreed with a HETAS qualified installer or similarly competent professional, to ensure compliance with the recent changes to the Building Regulations. Cleanburn Stoves will not be held responsible for any losses, however arising, from inappropriate installations by unqualified or non-competent installers. An inappropriate installation may also invalidate claims made under a manufacturer's warranty or guarantee.

CLEAN AIR ACT APPROVED · CLEAN AIR ACT APPROVED ·
APPROVED BY DEFRA FOR USE ON A GRATE

NB. All images in this catalogue are for illustrative purposes only.

A clean sweep

The Cleanburn range is gathering accolades across Britain and Europe. In independent tests it delivers outstanding performance. Have a closer look at some of their credentials.

First: can you trust a test?

Not always. In the UK, testing requirements mean that a stove can be tested for output then altered by the manufacturer to suit the emissions test. This means that test statistics for some stoves can be misleading. But Cleanburn stoves are sent for both tests at once, guaranteeing that your stove will perform just as well as the test model.

✓DEFRA

Clean Air Act Approved

Løvenholm, Nørreskoven Mk2, Sønderskoven Inset & Skagen

Meeting the rigid criteria of the Department for the Environment, Food & Rural Affairs is no small challenge. DEFRA has declared the Løvenholm, Nørreskoven Mk2, Sønderskoven Inset & Skagen stoves exempt from the Clean Air Act. This means they are permitted for use in Smoke Control Areas, as levels of particle emission are so low.

Norwegian Standard (NS)

Løvenholm

The Norwegian Standard is probably the most stringent emissions standard in the world – and the Løvenholm is one of very few stoves in Britain to meet it.

The issuing organisation, Standards Norway, works with bodies like ISO to draft new standards that challenge manufacturers to improve quality and safety. After independent tests at a laboratory in Aarhus, Denmark, the Løvenholm passed with flying colours.

To meet the standard, we've spent years investing heavily in research and development. Our quality control is second-to-none. This means that every Løvenholm will perform as beautifully as the one we sent to Denmark.

DANAK
TEST Reg. No. 300

DANISH TECHNOLOGICAL INSTITUTE
Accredited test institution, DANAK accreditation No. 300

DANISH TECHNOLOGICAL INSTITUTE

TEST CERTIFICATION
Extract of report no. 300-ELAB-1242-EN and 300-ELAB-1242-NS

Product: Solid fuel appliance, Hunter Stoves Ltd., Type Løvenholm (or CB500)
Requested by: Hunter Stoves Ltd., Old Mill Industrial Estate, Stoke Canon, Exeter, Devon, EX5 4RJ, United Kingdom
Procedure:
X Testing according to DS/EN13240/A2:2004
X Testing according to NS3059-1, NS 3058-2 and NS3059 (particle measurement)
Dust measurement according to DIN plus Dichtfilmmessgeräteserie

TEST RESULTS
Testing at nominal heat output in accordance with EN 13240 paragraph A4.7 was carried out with firewood, and the following results were achieved:

Nominal heat output:	4.8 kW
CO emission at 13% O_2:	0.19 %
Efficiency	75 %
Flue gas temperature:	246°C

Safety test is carried out in accordance with EN 13240 paragraph A4.9.2.2. By the following distances to combustible material, the temperature is less than 60 °C above ambient temperature:

Distance to side wall: See the instructions **Distance to rear wall:** See the instructions

Particle measurement according to NS 3058 and/or dust measurement according to method DIN plus:

Particle emission according to NS 3058:	**2.39 g/kg, (dry matter) mean value (max. 10)**
Particle emission according to NS 3058:	**3.49 g/kg, (dry matter) maximum (max. 20)**
Particle emission according to NS 3059:	**4.09 g/hour, mean value**
Dust emission according to method DIN plus:	**# mg/Nm³ at 13% O_2 (max. 75)**

Please note, that the stated values constitute an extract of the test report. For further information, please refer to the test report (see number above). Danish Technological Institute is a notified test institution with ID No. 1246.

Aarhus, 11 May 2011
Jes Sig Andersen
Consultant

Chimney sweeper signature

Based on the particle emission quoted above, it is hereby certified that the appliance meets Danish emission requirements of appendix 1of Regulation No. 1432 of 2007.12.11 regarding regulation of air pollution from solid fuel stoves and boilers and other certain solid units for energy production.

Check The Certificates.

It's a simple idea.
Raise your expectations, and others will follow.

Sønderskoven Inset 5

NEW

Regain control over your heating costs by installing the Sønderskoven Inset. Equipped with all the latest technology, it ensures you get more heat from every log. In independent tests, the Sønderskoven Inset achieved efficiency of 77.1%. Compare that to a standard open fire, which utilises about 25% of what you put in. (Solid Fuel Technology Institute, 2013.) Thanks to revolutionary TripleBurn, the Sønderskoven Inset delivers far more blaze for your budget.

- ✓ 3-5kw heat output range
- ✓ Tripleburn® technology
- ✓ Convection Body Construction
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ No air brick necessary
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Single door
- ✓ Enhanced primary air for fast light up



Weight: Inset – 117kg

Sønderskoven Inset 5 is DEFRA approved.

DEFRA APPROVED

LØVENHOLM · CLEAN AIR ACT APPROVED · APPROVED BY DEFRA FOR USE ON A GRATE

Sønderskoven Inset single door with stainless steel handle set.

Løvenholm Traditional

It's the pinnacle of all we know about firemaking: meet the widely-imitated Løvenholm. It's a traditional wood-burning stove packed with features, including Tripleburn and the hot airwash. But the very best part is its super-clean burn – certified by the Denish testing house. This is a serious stove.

- ✓ 3-5kw heat output range
- ✓ Tripleburn® technology
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ No air brick necessary
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Can be installed on a 12mm hearth
- ✓ Single or Double Door
- ✓ Enhanced primary air for fast light up



Weight: Traditional – 95kg

Løvenholm Traditional Stoves are DEFRA approved. Only freestanding stoves i.e. not fitted in a recess can be installed on a 12mm hearth.

Løvenholm single door

Løvenholm Traditional

The Løvenholm sets a new standard. It sailed through DEFRA approval, so we despatched it to Denmark to be scrutinised by lab testers. The Løvenholm came up trumps – with outstandingly low levels of particulate emission. (0.19% CO to be precise.) Take a look in the firebox and you'll see flames burning brightly with an upward airstream. These are signs of a fire that's effective and virtually smoke-free.

- ✓ 3-5kw heat output range
- ✓ Tripleburn® technology
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ No air brick necessary
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Can be installed on a 12mm hearth
- ✓ Single or double door
- ✓ Enhanced primary air for fast light up



Weight: Traditional – 95kg

Løvenholm Traditional Stoves are DEFRA approved. Only freestanding stoves i.e. not fitted in a recess can be installed on a 12mm hearth.

Løvenholm double door

Løvenholm European

Elegant European styling gives our finest stove a contemporary look. Since its introduction, the Løvenholm has become an instant classic. And now our designers have given it a continental twist, with seamless legs to house a log-store. All the same features, every inch a Løvenholm. The styling's down to you.

- ✓ 3-5kw heat output range
- ✓ Tripleburn® technology
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ No air brick necessary
- ✓ Multi-fuel grate system accommodates solid fuel
- ✓ Can be installed on a 12mm hearth
- ✓ Single or double door
- ✓ Enhanced primary air for fast light up



Weight: Euro – 111kg

Løvenholm Traditional Stoves are DEFRA approved. Only freestanding stoves i.e. not fitted in a recess can be installed on a 12mm hearth.

(L) Løvenholm European double door (R) Løvenholm European single door with black handle set.

Nørreskoven Mk2 Traditional

Fire may be an ancient art, but we've revolutionised the way it works. The traditional-style Nørreskoven is equipped with technology such as TripleBurn, a tertiary airstream system that ignites, reignites and radiates the fire with ease. Unlike an open fire, the Nørreskoven burns evenly at an adjustable pace, convecting heat in an efficient manner. Perfect for modern demands.

- ✓ 4-6kW heat output range
- ✓ Tripleburn® technology
- ✓ Twin Skin Surround Convection Body
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ No air brick necessary
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Can be installed on a 12mm hearth
- ✓ Single or double door
- ✓ Enhanced primary air for fast light up



Weight: Traditional – 101kg

Nørreskoven Mk2 Traditional Stoves are DEFRA approved. Only freestanding stoves i.e. not fitted in a recess can be installed on a 12mm hearth.

(L) Nørreskoven Mk2 Traditional, double door. (R) Nørreskoven Traditional with single door and stainless steel handle set.

Nørreskoven Mk2 European

You don't need a fireplace or mantel for this freestanding, contemporary model. The Nørreskoven European is an all-in-one unit with an integrated log store. With a compact footprint, it looks impressive from every angle. The heat output range of 4-6kW is ample for a room of up to 45m2. Because it's built from traditional cast iron and steel (in a choice of finishes), the Nørreskoven European releases heat slowly to maintain an even temperature.

- ✓ 4-6kW heat output range
- ✓ Tripleburn® technology
- ✓ Convection Body Construction
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ No air brick necessary
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Can be installed on a 12mm hearth
- ✓ Single or double door
- ✓ Enhanced primary air for fast light up



Weight: Traditional – 117kg

Nørreskoven Mk2 European Stoves are DEFRA approved. Only freestanding stoves i.e. not fitted in a recess can be installed on a 12mm hearth.

Nørreskoven European with single door. Double door option also available

Nørreskoven Pedestal

Not just a design statement. The contemporary Pedestal shape provides better heat convection for large spaces, radiating from the sides as well as top and front. Nørreskoven's incredibly low emissions make it a talking point among company. How does it perform so well? You could explain that it's fitted out with our signature technology, including TripleBurn and a hot airwash. Or put it down to your excellent firebuilding skills.

- ✓ 4-6kW heat output range
- ✓ Tripleburn® technology
- ✓ Twin Skin Surround Convection Body
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ No air brick necessary
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Can be installed on a 12mm hearth
- ✓ Single or double door
- ✓ Enhanced primary air for fast light up



Weight: Traditional – 117kg

Nørreskoven Pedestal version is CE Approved. Only freestanding stoves i.e. not fitted in a recess can be installed on a 12mm hearth.

Nørreskoven Pedestal with single door option. Double door option also available

Sønderskoven Inset 8

Need to keep a low profile? This Inset stove fits into the hearth. It's a clean Scandinavian look with impressively low emissions – suitable even for Smoke Control Areas. With an output of 5-8kW, the Sønderskoven can warm up a pretty considerable living space (45 m2).

- ✓ 5-8kW heat output range
- ✓ Tripleburn® technology
- ✓ Convection Body Construction
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Single or double door
- ✓ Enhanced primary air for fast light up



Sønderskoven Inset Stoves are Defra Approved.

DEFRA APPROVED

LØVENHOLM · CLEAN AIR ACT APPROVED · APPROVED BY DEFRA FOR USE ON A GRATE

(L) Sønderskoven Inset 8 single door
(R) Sønderskoven Inset 8 double door with stainless steel handle set.

Skagen Traditional

Your stove will be used daily during winter months, so functionality is important. Things like a hot airwash to keep the glass as clean as possible. And, now, an innovative airflow panel that opens with one touch. It's easy to access and even easier to use, putting complete control at your fingertips. DEFRA doesn't care about these details, but you will.

- ✓ 6-9kW heat output range
- ✓ Tripleburn® technology
- ✓ Convection Body Construction
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Can be installed on a 12mm hearth
- ✓ Single door
- ✓ Enhanced primary air for fast light up
- ✓ DEFRA Kit is an optional extra



Skagen Traditional Stoves are DEFRA approved. Only freestanding stoves i.e. not fitted in a recess can be installed on a 12mm hearth.

Skagen Traditional single door

Sønderskoven Traditional

Looking for the big one? Here's our family-sized model. Built with every technology, it combines mammoth output with Cleanburn performance – it's even suitable for Smoke Control Areas.
A cool-touch tool makes it easy to use, allowing you to adjust heat levels and maintain a comfortable temperature. The Sønderskoven is suitable for open-plan and big spaces of up to 70m2.

- ✓ 7-10kW heat output range
- ✓ Tripleburn® technology
- ✓ Convection Body Construction
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Can be installed on a 12mm hearth
- ✓ Available as single door
- ✓ Enhanced primary air for fast light up



Weight: Traditional –145kg

Sønderskoven Stoves are CE approved. Only freestanding stoves i.e. not fitted in a recess can be installed on a 12mm hearth.

(L) Sønderskoven Traditional single door (R) Sønderskoven Traditional double door.

Sønderskoven European

The freestanding European model is a highly fashionable style, but not to be confused with an inferior version. The Sønderskoven's phenomenal output is matched by impressive efficiency – particulate emissions at a mere 0.3% CO - so you can heat a vast area quickly. It boasts our user-friendly control panel, complete with stay-clean glass and cool-touch riddling handle. The beautiful simplicity of good technology.

- ✓ 7-10kW heat output range
- ✓ Tripleburn® technology
- ✓ Convection Body Construction
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Can be installed on a 12mm hearth
- ✓ Single or double door
- ✓ Enhanced primary air for fast light up



Weight: Traditional – 176kg

Sønderskoven Stoves are CE approved. Only freestanding stoves i.e. not fitted in a recess can be installed on a 12mm hearth.

Sønderskoven European single door. Double door option also available.

Sønderskoven Pedestal

A dramatic monolith for the living room, the Sønderskoven Pedestal makes an impact – while remaining carbon-neutral. The biggest stove in the Cleanburn range, the Sønderskoven has an impressive efficiency of 78.9% - ensuring you get every penny back from your fuel.
The Pedestal is an effective heat convetor, radiating heat from all sides, which makes it perfect for open plan spaces.

- ✓ 7-10kW heat output range
- ✓ Tripleburn® technology
- ✓ Convection Body Construction
- ✓ Hot air wash keeps glass clean
- ✓ Dust free, safe and easy riddling
- ✓ Multi-fuel grate system accommodates wood or solid fuel
- ✓ Can be installed on a 12mm hearth
- ✓ Single door
- ✓ Enhanced primary air for fast light up



Weight: Traditional – 172kg

Sønderskoven Stoves are CE approved.Only freestanding stoves i.e. not fitted in a recess can be installed on a 12mm hearth.

Sønderskoven Pedestal with single door.

Tripleburn® technology

How does our famous Triple Burn work? It involves the use of three streams of air to maximise combustion. Air is drawn in beneath the fuel, above the fuel (passing in front of the glass door), and behind the fuel. This hot air improves ignition so that the wood or smokeless fuel is burned more efficiently.

What this efficiency actually means is that you'll get more warmth from your stove – a better performance from less fuel. You can heat your living space for less than other options might cost. It also means that there's less carbon monoxide and hydrocarbon travelling up the chimney – for a cleaner atmosphere. So there's an environmental benefit on top of the economical benefit. Some would call it win-win; we call it Triple Burn.

Optimum woodburning conditions

The Tripleburn® technology improves the ignition of the fuel, with a jet of air directed into the heart of the fire. When the grate is in the closed position, creating a flat base, it allows a deep bed of ash to build up – these are the optimum conditions for burning wood.

Optimum solid fuel burning conditions

When burning smokeless fuel, the grate is moved to the open position by a single turn of the handle. Air is then directed under the open grate and into the heart of the fire, ensuring a clean, efficient burn.

Independently CE tested and approved

All the stoves in the Cleanburn range meet the stringent CE approval test requirements

Designed for and tested under the independent testing standards.

- Tripleburn® technology
- Exceptionally hot air wash
- Dust free, safe and easy riddling
- Multi-fuel grate system for burning wood or solid fuel

Airwash keeps the glass clean

Triple Burn Technology does the work for you. A tertiary air 'wash' maintains a stream of air between fuel and door, reducing the build-up of carbon deposits on the glass.

Løvenholm air flow



Sønderskoven Inset air flow



Nørreskoven air flow



Sønderskoven air flow



Skagen air flow



Cleanburn technical key

Left to right, Traditional,
European and Pedestal models
* Available on Løvenholm,
Nørreskoven and Sønderskoven

	Sønderskoven	Løvenholm	Nørreskoven Mk2	Sønderskoven		Skagen	Sønderskoven
	Inset 5	Room Heater	Convection Room Heater	Inset 8		Room Heater	Room Heater
Efficiency on wood %	77.1%	75%	80%	75%		79%	77%
Clean air act approved	✔	✔	✔*	✔		✔	~
Can be installed without an airbrick fitted and with a 5” flue **	✔	✔	✔	~		~	~
Flat Top	✔	✔	✔	✔		✔	✔
Traditional	~	✔	✔	~		✔	✔
European	~	•	•	~		~	•
Pedestal	~	~	•	~		~	•
Double door option	~	✔	✔	•		~	✔
Single door option	✔	•	•	✔		✔	•
Grate option (riddling grate)	✔	✔	✔	✔		✔	✔
*** non grated model (traditional only)	~	•	~	~		~	~
Black knob set	~	✔	~	~		~	•
Stainless steel knob set	✔	~	✔	✔		✔	✔
**** Flue Damper	~	•	•	~		•	•
Front Extension	✔	•	•	✔		~	•
Convection sides	✔	~	✔	✔		✔	✔
Nominal Output	3.5kW	4.6kW	4.4kW	6kW		6kW	7.4kW
**Ventilation (mm^2)	0	0	0	550 mm^2		550mm^2	1100mm^2.
Log sizes (approx)	415mm - 16 11/32”	300mm - 11 3/4”	320mm - 12 1/4”	415mm - 16 11/32”		400mm - 15 3/4”	420mm - 16 1/2”
Leg Lengths	N/A	148mm - 5 3/4”	148mm - 5 3/4”	N/A		190mm - 7 ”	176mm - 7”

✔ standard • option ~ not available

* Only the Traditional & European Nørreskoven Models are Defra Approved.

** NB. Dependent on the Building Air permeability rating.

*** NB. If a grated model is bought it is not possible to covert this to a non grate model. Woodburning versions (without grate) may only be installed on a Constructional Hearth. Only available on the Løvenholm Single Door Traditional Model.

**** Cannot be installed if used in a smokless zone.
NB. Løvenholm traditional woodburner is only available in single door.

NB. Ventilation is dependent on the permeability rating of the building.

For further details please visit:

http://www.planningportal.gov.uk/buildingregulations/approveddocuments/partj/approved and download the free copy of Document J. Info about the ventilation and air permeability ratings is table 1 on page 29.

Only Free Standing Stoves i.e not fitted in a recess, can be installed on a 12mm hearth.

Efficiency test results are derived from Independent & in house testing.

MEASURE AND CUSTOMISE YOUR STOVE

Check the dimensions to see if your favourite stove will fit into the space you have in mind. Next, select your model – the Nørreskoven and Sønderskoven both come in Classic, Plinth or Europe styles, while the Løvenholm comes in Classic and European styles. Classic is the traditional-look stove with short legs and the Europe style features a built-in log store. Now, specify whether you’d like a single or double door. Finally, it’s over to us: your stove is built to order at our assembly line in Cornwall. We look forward to delivering your Cleanburn stove!

WHAT WARRANTY DO I GET ON MY STOVE?

All Cleanburn Stoves Authorised Dealers provide you with a standard 2 year warranty*.
Cleanburn Stoves also come with a 5 year casting warranty*. For full warranty specifications please visit www.cleanburn-stoves.co.uk
(*Naturally wearing consumables such as glass, bricks, baffles, log retainers etc are excluded from this warranty. **The casting warranty does not cover items such as grate parts etc.) For a list of authorised stockists please use our dealer locater which can be found on our website www.cleanburn-stoves.co.uk

Options

Decisions decisions . . .

Whichever Cleanburn stove you choose, you have a number of options to make it perfect for your interior. Talk to your supplier about the choices available on each stove. Here's an overview of the possibilities:

Single Or Double Door? *

All models are available with a single door or double door. While the single door option provides a better viewing window, the double door gives a traditional appearance.

*
The Sonderskoven Pedestal and Sonderskoven Inset 5 are only available in single door.

Black knob set option

Optional flue gather box, for rear flue installations and limited space installations

Optional Front extension*

Only available for Løvenholm, Nørreskoven and Sønderskoven.

Not included on Inset or Skagen models.

Optional flue damper

Heat outputs are dependent on fuel load and installation parameters. Performance of units can vary greatly dependent on flue draughts, weather conditions, type of fuel and moisture content etc. Weights are approximate and can vary. Cleanburn has a policy of continuous product improvement and therefore reserves the right to change specifications and designs at any time without prior notice. Cleanburn recommends that the suitability of any installation should firstly be agreed with a HETAS qualified installer, or similarly accredited professional, to ensure compliance with Building Regulations. Cleanburn will not be held responsible for any losses, however arising, from inappropriate installations by unqualified or non-competent installers. An inappropriate installation may also invalidate claims made under the manufacturer's warranty or guarantee.

Hunter Superior Choice

From the smallest to the largest, every stove has built-in features that improve its performance.

For example, Cleanburn – a system designed to reduce carbon emissions from the stove. When you buy a Hunter stove, you get the full package – and a few extra surprises, too.



Hunter Living Design

Hunter Stoves are built on over 40 years of expertise – and equipped to face the future.

Whichever model you choose, you can now enjoy better performance, more options, and a cleaner future.



Di Lusso

Icona Futuro . . . Designed for designers, the Di Lusso R4 epitomises smooth Italian chic.

It's got the trustworthy performance of a Vespa and the smooth finish of espresso crema. This sleek, flush-to-the-wall stove brings you real flames – in a modern frame.



Eco-Ideal

eco-ideal isn't just a name – it's a statement. We believe that our British landscape is worth protecting. So we designed the eco-ideal range with significantly lower emissions than traditional multi-fuel stoves. Certified by European experts to be exempt from the Clean Air Act, every eco-ideal heater is permissible in Smoke Control areas.

cleanburn

Your Local Stockist

Like Us On facebook

Made in the UK

www.cleanburn-stoves.co.uk • info@cleanburn-stoves.co.uk